BBA

Biomembranes

Vol. 1152, 1993

Cumulative Contents

Editorial vii

Information for Contributors ix

Regular Papers

A 56 kDa binding protein for *Escherichia coli* heat-stable enterotoxin isolated from the cytoskeleton of rat intestinal membranes does not possess guanylate cyclase activity
S. Hakki, D.C. Robertson and S.A. Waldman (USA) 1

The transport mechanisms of organic cations and their zwitterionic derivatives across rat intestinal brush-border membrane. II. Comparison of the membrane potential effect on the uptake by membrane vesicles
K. Iseki, M. Sugawara, N. Saitoh and K. Miyazaki (Japan) 9

Reconstituted Sendai virus envelopes as biological carriers: dual role of F protein in binding and fusion with liver cells
S. Bagai and D.P. Sarkar (India) 15

Cadmium ion is a non-competitive inhibitor of red cell Ca^{2+}-ATPase activity
G.J. Visser, P.H.J. Peters and A.P.R. Theuvenet (Netherlands) 26

Association probabilities between the single-chain amphiphiles into a binary mixture in plan monolayers (II)
D. Popescu (Romania) 35

Phospholipase C activity in membranes and a soluble fraction isolated from frog skeletal muscle
M.A. Carrasco, J. Sierralta and C. Hidalgo (Chile) 44

Thermodynamic stability and osmotic sensitivity of small unilamellar phosphatidylcholine vesicles
B. Lerebours, E. Wehrli and H. Hauser (Switzerland) 49

The α-D-glucosyl C-2 hydroxyl is required for binding to the H^+-sucrose transporter in phloem
S.D.J. Griffin, K.D. Buxton and I.A. Donaldson (UK) 61

Squalene promotes the formation of non-bilayer structures in phospholipid model membranes
K. Lohner, G. Degovics, P. Laggner, E. Gnamusch and F. Paltauf (Austria) 69

Permeation of superoxide anion through the bilayer of vesicles of a synthetic amphiphile
L.F. Gomes, I.M. Cuccovia, H. Chaimovich, D.H.G.P. Barbieri and M.J. Politi (Brazil) 78

Optical imaging of Cl^- permeabilities in normal and CFTR-expressing mouse L cells
S. Dho and J.K. Foskett (Canada) 83

Altered expression of unidirectional extrusion routes for methotrexate and cholate in an efflux variant of L1210 cells
G.B. Henderson and T.R. Hughes (USA) 91

Fusion of dioleoylphosphatidylcholine vesicles induced by an amphiphilic cationic peptide and oligophosphates at neutral pH
M. Murata, Y. Shirai, R. Ishiguro, S. Kagiwada, Y. Tahara, S.-i. Ohnishi and S. Takahashi (Japan) 99

Effects of exogenous phospholipids on platelet activation
L.S. Brunauer and W.H. Huestis (USA) 109

The initial association of a truncated form of the *Neurospora* plasma membrane H^+-ATPase and of the precursor of yeast invertase with microsomes are distinct processes
R. Addison (USA) 119

Structural requirements for the inhibition of membrane fusion by carbobenzoxy-D-Phe-Phe-Gly
R.M. Epand, R.F. Epand, C.D. Richardson and P.L. Yeagle (Canada, USA) 128

Phase equilibria and local structure in binary lipid bilayers
K. Jørgensen, M.M. Sperotto, O.G. Mouritsen, J.H. Ipsen and M.J. Zuckermann (USA, Denmark, Canada) 135

Isolation of a Ca^{2+} or Mg^{2+}-activated ATPase (ecto-ATPase) from bovine brain synaptic membranes
J. Hohmann, H. Kowalewski, M. Vogel and H. Zimmermann (Germany) 146

Effect of ultrasound on the pH profiles in the unstirred layers near planar bilayer lipid membranes measured by microelectrodes

P. Pohl, Y.N. Antonenko and E. Rosenfeld (Germany, Russia) 155

Intramitochondrial distribution and transport of phosphatidylserine and its decarboxylation product, phosphatidylethanolamine. Application of pyrene-labeled species
R. Jasińska, J. Zborowski and P. Somerharju (Poland, Finland) 161

The macroscopic organization of reconstituted M13 coat protein-phospholipid systems. An EPR spectroscopy and polarizing microscope study
M.F. Ottaviani, H. Huinink, J.C. Sanders and M.A. Hemminga (Italy, Netherlands) 171

The effects of tetrahexyl ammonium cations (THA^+) on inositol 1,4,5-trisphosphate-induced calcium release from porcine cerebellar microsomes: THA^+ can induce calcium release selectively from the InsP_3-sensitive calcium stores
L.G. Sayers and F. Michelangeli (UK) 177

Rapid Reports

Temperature effects on the aggregation state and activity of Amphotericin B
H.E. Lambing, B.D. Wolf and S.C. Hartsel (USA) 185

The effect of amphotericin B on the K-channel activity of MDCK cells
S.-F. Hsu and R.R. Burnette (USA) 189

Short Sequence-Papers

Isolation and characterization of cDNA clones and a genomic clone encoding rat mitochondrial adenine nucleotide translocator
Y. Shinohara, M. Kamida, N. Yamazaki and H. Terada (Japan) 192

Cloning and analysis of the 5′ flanking sequence of the rat *N*-methyl-D-aspartate receptor 1 (NMDAR1) gene
G. Bai and J.W. Kusiak (USA) 197

Regular Papers

Kinetical parameters of monovalent cation uptake in yeast calculated on accounting for the mutual interaction of cation uptake and membrane potential
G.W.F.H. Borst-Pauwels (The Netherlands) 201

Electrical properties of cell pellets and cell electrofusion in a centrifuge
I.G. Abidor, A.I. Barbul, D.V. Zhelev, P. Doinov, I.N. Bandrina, E.M. Osipova and S.I. Sukharev (Russia, Bulgaria) 207

Comparison between sodium–hydrogen ion and lithium–hydrogen ion exchange in human platelets
O.A. Gende and H.E. Cingolani (Argentina) 219

Demonstration of two isoforms of the SERCA-2b type Ca^{2+},Mg^{2+}-ATPase in pancreatic endoplasmic reticulum
R.L. Dormer, D.E. Capurro, R. Morris and R. Webb (UK) 225

The targeting of immunoliposomes to tumour cells (A431) and the effects of encapsulated methotrexate
M.N. Jones and M.J.H. Hudson (UK) 231

Effect of cerulenin on the synthesis of very-long-chain fatty acids in microsomes from leek seedlings
F. Schneider, R. Lessire, J.-J. Bessoule, H. Juguelin and C. Cassagne (France) 243

Optimization of the retention properties of vincristine in liposomal systems
N.L. Boman, L.D. Mayer and P.R. Cullis (Canada) 253

Ca^{2+}-induced lateral phase separation in black lipid membranes and its coupling to the ion translocation by gramicidin
S. Mittler-Neher and W. Knoll (Germany) 259

Dicarboxylate transport at the vacuolar membrane of the CAM plant *Kalanchoë daigremontiana*: sensitivity to protein-modifying and sulphydryl reagents
M. Bettey and J.A.C. Smith (UK) 270

The effect of long-chain *N*-acylethanolamines on some membrane-associated functions of neuroblastoma C1300 N18 cells
N.M. Gulaya, A.A. Melnik, D.I. Balkov, G.L. Volkov, M.V. Vysotskiy and V.E. Vaskovsky (Ukraine, Russian Federation) 280

$Na^+/K^+/2Cl^-$ cotransport in medullary thick ascending limb cells: kinetics and bumetanide binding
D.M. Kaji (USA) 289

Plasma membrane vesicles from BHK and HL60 cells treated with merocyanine 540 and iodoacetamide
J. Whatmore, P. Quinn and D. Allan (UK) 300

Concerning stimulation by injected fluoroaluminate of the sodium efflux in barnacle muscle fibers
E.E. Bittar and Y.-P. Huang (USA) 307

Editing ^{13}C-NMR spectra of membranes
B. Montez, E. Oldfield, J.A. Urbina, S. Pekerar, C. Husted and J. Patterson (USA, Venezuela) 314

ATP-regulated chloride conductance in endoplasmic reticulum (ER)-enriched pig pancreas microsomes

B. Bégault, T. Anagnostopoulos and A. Edelman (France) 319

Glucuronidation of all-*trans*-retinoic acid in liposomal membranes
K.L. Salyers, M.E. Cullum and M.H. Zile (USA) 328

Cumulative Contents, Vol. 1152 335

Author Index 338